


Data sheet | Item number: 216-151

Ferrule; Sleeve for 0.25 mm² / AWG 24; uninsulated; electro-tin plated

www.wago.com/216-151



Data

Technical data

Main product function	Ferrule
Sleeve cross-section (AWG)	24 AWG
Sleeve for	0.25 mm ²

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Connection data

Strip length	5 mm / 0.2 inches
--------------	-------------------

Physical data

Length	5 mm
Diameter	1.7 mm
Diameter 2	0.75 mm

Material data

Weight	0 g
--------	-----

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-02-01
eCl@ss 9.0	27-40-02-01
ETIM 8.0	EC000005
ETIM 7.0	EC000005
PU (SPU)	5000 (1000) Stück
Packaging type	box
Country of origin VKOrg Germany	DE
GTIN	4017332277563
Customs tariff number VKOrg Germany	85369010000

Downloads

Documentation

Bid Text

216-151 X81 - Datei	Feb 19, 2019	xml 2.8 kB	Download
216-151 doc - Datei	Sep 11, 2017	doc 24.6 kB	Download

Environmental Product Compliance

Compliance Search

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Environmental Product Compliance 216-151

Ferrule; Sleeve for 0.25 mm² / AWG 24; uninsulated; electro-tin plated

Installation Notes



A perfect gas-tight crimp – both electrically and mechanically reliable

Subject to changes. Please also observe the further product documentation!
