

## DKB CC 85/54

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)



### General ordering data

Version	MetalliCard, Adhesive strip, 54 x 85 mm, Transparent
Order No.	<a href="#">1175850000</a>
Type	DKB CC 85/54
GTIN (EAN)	4032248972364
Qty.	100 pc(s).

Creation date October 3, 2022 6:40:56 PM CEST

Catalogue status 23.09.2022 / We reserve the right to make technical changes.

## DKB CC 85/54

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Depth	0.01 mm	Depth (inches)	0 inch
Height	54 mm	Height (inches)	2.126 inch
Width	85 mm	Width (inches)	3.346 inch
Net weight	1.57 g		

## Temperatures

Operating temperature range	-40...160 °C
-----------------------------	--------------

## General data

Adhesive	Modified acrylate	Colour	Transparent
Material	Polyester film	Number of markers per combination	1 MetalliCard = Adhesive strip
Operating temperature range	-40...160 °C	Operating temperature range, max.	160 °C
Operating temperature range, min.	-40 °C	Recommended industries	Energy, Process
Version	Self-adhesive	Width	85 mm

## Classifications

ETIM 6.0	EC001288	ETIM 7.0	EC001288
ETIM 8.0	EC001288	ECLASS 9.0	27-40-06-29
ECLASS 9.1	27-40-06-29	ECLASS 10.0	27-40-06-29
ECLASS 11.0	27-28-11-04	ECLASS 12.0	27-28-11-04

## Approvals

ROHS	Conform
------	---------

## Downloads

Engineering Data	<a href="#">EPLAN</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>

**Data sheet**

**DKB CC 85/54**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**

