

**PZ 1.5****Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

Version	Pressing tool, Crimping tool for wire-end ferrules, 0.14mm <sup>2</sup> , 1.5mm <sup>2</sup> , Trapezoidal crimp
Order No.	<a href="#">9005990000</a>
Type	PZ 1.5
GTIN (EAN)	4008190085964
Qty.	1 pc(s).

## PZ 1.5

Weidmüller Interfaces GmbH &amp; Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

## Technical data

## Dimensions and weights

Width	170 mm	Width (inches)	6.693 inch
Net weight	171.171 g		

## Environmental Product Compliance

REACH SVHC	Lead 7439-92-1	SCIP	b28ab223-64ec-44cf-adb0-4dd6ebcae141
------------	----------------	------	--------------------------------------

## Technical data

Description of article	Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm <sup>2</sup>	Version	Mechanical, without interchangeable inserts
------------------------	--	---------	---

## Description of contact

Conductor cross-section, max. AWG	AWG 16	Conductor cross-section, min. AWG	AWG 26
Crimping range, max.	1.5 mm <sup>2</sup>	Crimping range, min.	0.14 mm <sup>2</sup>
Type of contact	Wire-end ferrules with/without plastic collars		

## tool data crimping

Crimping type/profile	Trapezoidal crimp	Wire end ferrules cross-section, max.	1.5 mm <sup>2</sup>
Wire end ferrules cross-section, min.	0.25 mm <sup>2</sup>		

## Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ETIM 8.0	EC000168	ECLASS 9.0	21-04-38-11
ECLASS 9.1	21-04-38-11	ECLASS 10.0	21-04-38-11
ECLASS 11.0	21-04-38-11	ECLASS 12.0	21-04-38-11

## Approvals

Approvals



## Downloads

Engineering Data	<a href="#">WSCAD</a>
User Documentation	<a href="#">Manual</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	

**PZ 1.5**

**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

[info@weidmueller.com](mailto:info@weidmueller.com)

**Drawings**

